## INFORMATION FOR ELECTRICAL WHOLESALERS

# Hager B&R recalls 'mono' range

of single module RCBO's (combination RCD & MCB)

As a specialist of top quality electrical protection devices and solutions, Hager B&R prides itself on the quality of our products and the safety of our customers.

A potential defect has been detected on Hager RCBO references AD310T, AD316T, AD320T & AD325T known as 'mono' resulting in a risk of electric shock.

Whilst the fault is very rare and estimated to affect only 0.15% of the products and in absence of any serious incident, we have taken the voluntary decision to recall all the products sold and installed in Australia.

#### Products affected include:

AD310T - 1 module RCBO 10A 30mA AD316T - 1 module RCBO 16A 30mA AD320T - 1 module RCBO 20A 30mA

AD325T - 1 module RCBO 25A 30mA These products have been sold nationally from July 2010.

No other Hager branded RCBO's are affected by this recall.



### Action required by wholesalers:

Wholesale branches that have purchased and sold the 'mono' RCBO are required to:

- 1. STOP selling the 'mono' products.
- 2. Return all stock of 'mono' products to Hager B&R as per the current GRA process.
- 3. Identify and send to Hager B&R the names and addresses of all contractors who have purchased the 'mono' RCBO's from their branch (wherever possible including the contact details).
- 4. Call the recall hotline on 1300 786 685 or email recall@hagerbr.com.au if they have any questions related to the recall.
- 5. Invite contractors to call the recall hotline on 1300 786 685, email recall@hagerbr.com.au or connect to the web page www.rcboreplacement.com.au to obtain instructions for replacement of affected products.

The success of this operation depends on our capacity to react quickly. As partners in the electrical industry, we all share a responsibility and a duty of care to the consumers. We trust you appreciate the critical nature of this recall and we rely on your support and assistance.

#### For further information:

Please direct any calls and queries concerning this recall to:

Phone - 1300 786 685

Web - www.rcboreplacement.com.au

Email - recall@hagerbr.com.au



